



Your Reliable and Trustworthy Surplus Equipment Market Partner... Worldwide

Agilent 4073B Test System

Make: Agilent
Model: 4073B
Quantity: 1
Vintage: 2011
Inspection: Yes

Configuration:

<u>Module name</u>		<u>Description</u>	<u>Configuration</u>
Pinboard		Used to contact with prober card, number is defined by prober card max pin Qty is 48	48EA
Source Monitor	Medium power SMU	10fA current measurement resolution, 2uV voltage measurement resolution, max Voltage 100V, max Current 100mA	5EA
	HRSMU		2EA
	High Power SMU	10fA current measurement resolution, 2uV voltage measurement resolution, max Voltage 200V, max Current 1A	1EA
Digital Voltage meter		1uV voltage measurement resolution, used for 1ohm level resistant measurement	E3458A [US28033266]
CV measurement	LCR meter	DC Bias Voltage: ±40V, 20Hz-1MHz	HSCMU
Switch		Switch/control unit	PSW

Spectrum analyzer	Used for ring oscillator evaluation 9KHz-1.5GHz	E4411B [MY44210480]
HV-SPGU	Pulse Generator, two channel per Qty, selected if pulse is needed.	81110A [DE41B03865]
PC	Workstation	Z600 [SGH106P8R8]
Trigger Distributor	Agilent/HP	E3150-61021

Matrix Pin

1 5 9 13 17 21 25 29 33 37 41 45
2 6 10 14 18 22 26 30 34 38 42 46
3 7 11 15 19 23 27 31 35 39 43 47
4 8 12 16 20 24 28 32 36 40 44 48

SMU

Slot(1) E3133A

Slot(3) E3132A

Slot(5) E3131A

Slot(7) E3133A

Slot(8) E3131A

Slot(9) E3131A

Slot(10) E3131A

HF Matrix

HFM

Pulse Switch

PSW

PG

PG 1 81110A 2

CMU

HSCMU

DVM

3458A

Tester Type

TH4070

Power Line Cycle

<END>

Photos



