



Your Reliable and Trustworthy Surplus Equipment Market Partner... Worldwide

Advantest T5376 (T5735 Spare Parts Compatible) Memory Test System (JAD-38031)

Make:	Advantest
Model:	T5376 (T5735 Spare Parts Compatible)
Quantity:	1
Inspection:	Yes

Configuration:

CPU Type: SPARC
Compressed air consumption: 5-10 NI/Min
Compressed air requirement: 0.49 MPa-0.69 MPa
Power consumption: 30 kVA
Power requirement: 200 VAC, 3-Phase

Product / P/N / Revision / Title
ASXUBASE / PASX51-75**** / 2.04 / SunOS Release 5.8
ATW51SU / PASX51-75**** / 6.04B / ATLworks for T5500 Series
DIAG5375SU / PASX51-75**** / 1.04B / Tester Diagnosis (T5375/T5376)
SYSTEST51SU / PASX51-75**** / 6.04B / ADI/SYS TEST (T5581 Series)
TESTUTL51SU / PASX51-75**** / 6.04B / Tester Utilities (T5581 Series)

SYSTEM CONFIGURATION LIST

SYSTEM IDENTIFICATION SPNxx

CONFIGURATION OF TEST HEAD

PIN CONFIGURATION 1. 512DR+ 320I/O(QUARTER)
2. 1024DR+ 640I/O(HALF)
3. 1536DR+ 640I/O(FULL)
4. 2048DR+ 640I/O(FULL)
5. 1536DR+1280I/O(FULL)
6. 2048DR+1280I/O(FULL) [1-6] ...> 6

NUMBER OF TEST HEAD [1,2]> 1

CONFIGURATION OF TEST HEAD 1

PE BOARD 0.NOT EXIST

1. EXIST

DR PIN 1A1 1A5 17A1 25A1

CHILD A,B> 1 1 1 1

CHILD C,D> 1 1 1 1

CHILD E,F> 1 1 1 1

CHILD G,H> 1 1 1 1

IO PIN 33A1 97A1 33A5 97A5

CHILD A,B> 1 1 1 1

CHILD C,D> 1 1 1 1

CHILD E,F> 1 1 1 1

CHILD G,H> 1 1 1 1

CONFIGURATION OF DPU

TEST HEAD 1 DC CONFIGURATION [1-64]> 1-64

PPS CONFIGURATION [1-256]> 1-256

AC FREQUENCY (Hz) [50,60]> 50

CONFIGURATION OF FTU

FLASH OPTION [Y,N]> YES

CONFIGURATION OF FM

NUMBER OF FMRA BOARD [0-16]> 2

SIZE OF FMRA BOARD [1:1.44G]> 1

TYPE OF CFM [1:TYPE-1,2:TYPE-2]> 1

PM(PATTERN MEMORY) BOARD EXIST [Y,N]> YES

SIZE OF PM BOARD [1:1G]> 1

CONFIGURATION OF MRA

MRA4 EXIST [Y,N]> NO.

