



Your Reliable and Trustworthy Surplus Equipment Market Partner... Worldwide

Teradyne ETS-364 Test System (JAD-38508)

Make:	Teradyne
Model:	ETS-364
Vintage:	2010
Quantity:	1
Inspection:	Yes

Configuration:

- **(1) ISO-COM**
- **(1) THIB**
- **(1) QTMU**
- **(1) CBIT**
- **(1) MCU**
- **(2) QHSU**
- **(4) APU12**
- **(2) SPU 500**
- **(12) SPU100**
- **(2) DPU16**

Includes:

- **Esmo Ikarus Manipulator**

lconfig

```

ÚAAAAAAAAAAAAAAAAAAAAAA¿
1 3 THIB-PRI 3 8 3 ----- 3
2 3 QTMU 0-3 3 9 3 ----- 3
3 3 DPU-16 1 16-31 3 10 3 ----- 3
4 3 DPU-16 0 0-15 3 11 3 ----- 3
5 3 CBIT-64 3 12 3 ----- 3
6 3 MCU - 66 MHz 3 13 3 ----- 3
7 3 ISOCOM 64 3 14 3 ----- 3
ÀAAAAAAAAAAAAAAAAAAAAAAÙ
38 36 34 32 30 28 26 24 22 20 18 16 14 12 10 08 06 04 02 00
ÚAAAAAAAAAAAAAAAAAAAAAA¿
3 S 3 3 3 3 3 3 S 3 S 3 3 3 S 3 S 3 3 S 3 S 3 Q 3
3 P 3 3 3 3 3 3 P 3 P 3 3 3 P 3 P 3 3 P 3 P 3 H 3
3 U 3 3 3 3 3 3 U 3 U 3 3 3 U 3 U 3 3 U 3 U 3 S 3
3 5 3 3 3 3 3 3 1 3 1 3 3 3 1 3 1 3 3 1 3 1 3 U 3
3 0 3 3 3 3 3 3 0 3 0 3 3 3 0 3 0 3 3 0 3 0 3 3 3
3 0 3 3 3 3 3 3 0 3 0 3 3 3 0 3 0 3 3 0 3 0 3 3 3
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 0-3
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 1 3
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
3 S 3 3 3 3 3 3 S 3 S 3 A 3 A 3 S 3 S 3 A 3 A 3 S 3 S 3 Q 3
3 P 3 3 3 3 3 3 P 3 P 3 P 3 P 3 P 3 P 3 P 3 P 3 P 3 H 3
3 U 3 3 3 3 3 3 U 3 U 3 U 3 U 3 U 3 U 3 U 3 U 3 U 3 S 3
3 5 3 3 3 3 3 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 U 3
3 0 3 3 3 3 3 3 0 3 0 3 0 3 0 3 0 3 0 3 0 3 0 3 3 3
3 0 3 3 3 3 3 3 0 3 0 3 3 3 0 3 0 3 3 0 3 0 3 3 3
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 2-3
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
ÀAAAAAAAAAAAAAAAAAAAAAAÙ
39 37 35 33 31 29 27 25 23 21 19 17 15 13 11 09 07 05 03 01

```

ICOM Resources Hardwired to DUT Area:

```

POS 80 = --- POS 81 = --- POS 82 = --- POS 83 = ---
POS 84 = --- POS 85 = --- POS 86 = --- POS 87 = ---

```

Remote Cabled ICOM Resources:

```

POS 88 = --- POS 89 = --- POS 90 = --- POS 91 = ---
POS 92 = --- POS 93 = --- POS 94 = --- POS 95 = ---

```

```

PCIB = PCIB-PCI-T
GPIB Controller = National Instruments PCI-GPIB

```







